

## CHAPTER 33-15-12 STANDARDS OF PERFORMANCE FOR NEW STATIONARY SOURCES

### Section

33-15-12-01	General Provisions [Repealed]
33-15-12-01.1	Scope
33-15-12-02	Standards of Performance
33-15-12-03	[Reserved]
33-15-12-04	Standards of Performance [Repealed]

**33-15-12-01. General provisions.** Repealed effective June 1, 1992.

**33-15-12-01.1. Scope.** Except as noted below the title of the subpart, the subparts and appendices of title 40, Code of Federal Regulations, part 60, as they exist on January 31, 2004, which are listed under section 33-15-12-02 are incorporated into this chapter by reference. Any changes to the standards of performance are listed below the title of the standard.

**History:** Effective June 1, 1992; amended effective December 1, 1994; January 1, 1996; September 1, 1997; September 1, 1998; June 1, 2001; March 1, 2003; February 1, 2005.

**General Authority:** NDCC 23-25-03

**Law Implemented:** NDCC 23-25-03

### **33-15-12-02. Standards of performance.**

Subpart A - General provisions.

\*60.2. The definition of administrator is deleted and replaced with the following:

Administrator means the department except for those duties that cannot be delegated by the United States environmental protection agency. For those duties that cannot be delegated, administrator means the administrator of the United States environmental protection agency.

Subpart C - Emission guidelines and compliance times.

Subpart Cc - Emissions guidelines and compliance times for municipal solid waste landfills.

Designated facilities to which this subpart applies shall comply with the requirements for state plan approval in 40 CFR parts 60.33c, 60.34c, and 60.35c, except that quarterly surface monitoring for methane under part 60.34c shall only be required during the second, third, and fourth quarters of the calendar year.

Designated facilities under this subpart shall:

1. Submit a final control plan for department review and approval within twelve months of the date of the United States environmental protection agency's approval of this rule, or within twelve months of becoming subject to this rule, whichever occurs later.
2. Award contracts for control systems/process modification within twenty-four months of the date of the United States environmental protection agency's approval of this rule, or within twenty-four months of becoming subject to the rule, whichever occurs later.
3. Initiate onsite construction or installation of the air pollution control device or process changes within twenty-seven months of the date of the United States environmental protection agency's approval of this rule, or within twenty-seven months of becoming subject to the rule, whichever occurs later.
4. Complete onsite construction or installation of the air pollution control device or devices or process changes within twenty-nine months of the United States environmental protection agency's approval of this rule, or within twenty-nine months of becoming subject to the rule, whichever is later.
5. Conduct the initial performance test within one hundred eighty days of the installation of the collection and control equipment. A notice of intent to conduct the performance test must be submitted to the department at least thirty days prior to the test.
6. Be in final compliance within thirty months of the United States environmental protection agency's approval of this rule, or within thirty months of becoming subject to the rule, whichever is later.

Subpart Ce - Emission guidelines and compliance times for hospital/medical/infectious waste incinerators.

Except as noted below, designated facilities to which this rule applies shall comply with the minimum requirements for state plan approval listed in subpart Ce.

\*60.32e(i) The following is added:

Title V permit to operate applications shall be submitted by September 15, 1999.

\*60.39e(a) is deleted in its entirety.

\*60.39e(b) is deleted in its entirety and replaced with the following:

- (b) Except as provided in paragraphs c and d of this section, designated facilities shall comply with all requirements

of this subpart within one year of the United States environmental protection agency's approval of the state plan for hospital/medical/infectious waste incinerators regardless of whether a designated facility is identified in the state plan. Owners or operators of designated facilities who will cease operation of their incinerator to comply with this rule shall notify the department of their intention within six months of state plan approval.

\*60.39e(c) is deleted in its entirety and replaced with the following:

- (c) Owners or operators of designated facilities planning to install the necessary air pollution control equipment to comply with the applicable requirements may petition the department for an extension of the compliance time of up to three years after the United States environmental protection agency's approval of the state plan, but not later than September 16, 2002, provided the facility owner or operator complies with the following:
  - 1. Submits a petition to the department for site specific operating parameters under 40 CFR 60.56c(i) of subpart Ec within thirty months of approval of the state plan and sixty days prior to the performance test.
  - 2. Provides proof to the department of a contract for obtaining services of an architectural or engineering firm or architectural and engineering firm regarding the air pollution control device within nine months of state plan approval.
  - 3. Submits design drawings to the department of the air pollution control device within twelve months of state plan approval.
  - 4. Submits to the department a copy of the purchase order or other documentation indicating an order has been placed for the major components of the air pollution control device within sixteen months after state plan approval.
  - 5. Submits to the department the schedule for delivery of the major components of the air pollution control device within twenty months after state plan approval.
  - 6. Begins initiation of site preparation for installation of the air pollution control device within twenty-two months after state plan approval.
  - 7. Begins initiation of installation of the air pollution control device within twenty-five months after state plan approval.
  - 8. Starts up the air pollution control device within twenty-eight months after state plan approval.

9. Notifies the department of the performance test thirty days prior to the test.
10. Conducts the performance test within one hundred eighty days of the installation of the air pollution control device.
11. Submits a performance test report which demonstrates compliance within thirty-six months of state plan approval.

\*60.39e(d) is deleted in its entirety and replaced with the following:

1. Designated facilities petitioning for an extension of the compliance time in paragraph b of this section shall:
  - i. Within six months after the United States environmental protection agency's approval of the state plan, submit documentation of the analyses undertaken to support the need for more than one year to comply, including an explanation of why up to three years after United States environmental protection agency approval of the state plan is sufficient to comply with this subpart while one year is not. The documentation shall also include an evaluation of the option to transport the waste offsite to a commercial medical waste treatment and disposal facility on a temporary or permanent basis; and
  - ii. Documentation of measurable and enforceable incremental steps of progress to be taken toward compliance with this subpart.
2. The department shall review any petitions for the extension of compliance times within thirty days of receipt of a complete petition and make a decision regarding approval or denial. The department shall notify the petitioner in writing of its decision within forty-five days of the receipt of the petition. All extension approvals must include incremental steps of progress. For those sources planning on installing air pollution control equipment to comply with this subpart, the incremental steps of progress included in 40 CFR 60.39e(c) shall be included as conditions of approval of the extension.
3. Owners or operators of facilities which received an extension to the compliance time in this subpart shall be in compliance with the applicable requirements on or before the date three years after United States environmental protection agency approval of the state plan but not later than September 16, 2002.

\*60.39e(f) is deleted in its entirety.

After the compliance dates specified in this subpart, an owner or operator of a facility to which this subpart applies shall not operate any such unit in violation of this subpart.

Subpart D - Standards of performance for fossil-fuel fired steam generators for which construction is commenced after August 17, 1971.

Subpart Da - Standards of performance for electric utility steam generating units for which construction is commenced after September 18, 1978.

Subpart Db - Standards of performance for industrial-commercial-institutional steam generating units.

Subpart Dc - Standards of performance for small industrial-commercial-institutional steam generating units.

Subpart E - Standards of performance for incinerators.

Subpart Ea - Standards of performance for municipal waste combustors for which construction is commenced after December 20, 1989, and on or before September 20, 1994.

Subpart Ec - Standards of performance for hospital/medical/infectious waste incinerators for which construction is commenced after June 20, 1996.

Subpart F - Standards of performance for portland cement plants.

Subpart G - Standards of performance for nitric acid plants.

Subpart H - Standards of performance for sulfuric acid plants.

Subpart I - Standards of performance for hot mix asphalt facilities.

Subpart J - Standards of performance for petroleum refineries.

Subpart K - Standards of performance for storage vessels for petroleum liquids for which construction, reconstruction, or modification commenced after June 11, 1973, and prior to May 19, 1978.

\*60.110(c) is deleted in its entirety and replaced with the following:

- (c) Any facility under part 60.110(a) that commenced construction, reconstruction, or modification after July 1, 1970, and prior to May 19, 1978, is subject to the requirements of this subpart.

Subpart Ka - Standards of performance for storage vessels for petroleum liquids for which construction, reconstruction, or modification commenced after May 18, 1978, and prior to July 23, 1984.

Subpart Kb - Standards of performance for volatile organic liquid storage vessels (including petroleum liquid storage vessels) for which construction, reconstruction, or modification commenced after July 23, 1984.

Subpart L - Standards of performance for secondary lead smelters.

Subpart M - Standards of performance for secondary brass and bronze production plants.

Subpart N - Standards of performance for primary emissions from basic oxygen process furnaces for which construction is commenced after June 11, 1973.

Subpart Na - Standards of performance for secondary emissions from basic oxygen process steelmaking facilities for which construction is commenced after January 20, 1983.

Subpart O - Standards of performance for sewage treatment plants.

Subpart P - Standards of performance for primary copper smelters.

Subpart Q - Standards of performance for primary zinc smelters.

Subpart R - Standards of performance for primary lead smelters.

Subpart S - Standards of performance for primary aluminum reduction plants.

Subpart T - Standards of performance for the phosphate fertilizer industry: wet-process phosphoric acid plants.

Subpart U - Standards of performance for the phosphate fertilizer industry: superphosphoric acid plants.

Subpart V - Standards of performance for the phosphate fertilizer industry: diammonium phosphate plants.

Subpart W - Standards of performance for the phosphate fertilizer industry: triple superphosphate plants.

Subpart X - Standards of performance for the phosphate fertilizer industry: granular triple superphosphate storage facilities.

Subpart Y - Standards of performance for coal preparation plants.

Subpart Z - Standards of performance for ferroalloy production facilities.

Subpart AA - Standards of performance for steel plants: electric arc furnaces: constructed after October 21, 1974, and before August 17, 1983.

Subpart AAa - Standards of performance for steel plants: electric arc furnaces and argon-oxygen decarburization vessels constructed after August 17, 1983.

Subpart BB - Standards of performance for kraft pulp mills.

Subpart CC - Standards of performance for glass manufacturing plants.

Subpart DD - Standards of performance for grain elevators.

Subpart EE - Standards of performance for surface coatings of metal furniture.

Subpart FF - [Reserved]

Subpart GG - Standards of performance for stationary gas turbines.

Subpart HH - Standards of performance for lime manufacturing plants.

Subpart KK - Standards of performance for lead-acid battery manufacturing plants.

Subpart LL - Standards of performance for metallic mineral processing plants.

Subpart MM - Standards of performance for automobile and light-duty truck surface coating operations.

Subpart NN - Standards of performance for phosphate rock plants.

Subpart PP - Standards of performance for ammonium sulfate manufacture.

Subpart QQ - Standards of performance for the graphic arts industry: publication rotogravure printing.

Subpart RR - Standards of performance for pressure-sensitive tape and label surface coating operations.

Subpart SS - Standards of performance for industrial surface coating: large appliances.

Subpart TT - Standards of performance for metal coil surface coating.

Subpart UU - Standards of performance for asphalt processing and asphalt roofing manufacture.

Subpart VV - Standards of performance for equipment leaks of volatile organic compound (VOC) emissions in the synthetic organic chemicals manufacturing industry.

Subpart WW - Standards of performance for the beverage can surface coating industry.

Subpart XX - Standards of performance for bulk gasoline terminals.

Subpart AAA - Standards of performance for new residential wood heaters.

Subpart BBB - Standards of performance for the rubber tire manufacturing industry.

Subpart CCC - [Reserved]

Subpart DDD - Standards of performance for volatile organic compound (VOC) emissions for the polymer manufacturing industry.

Subpart EEE - [Reserved]

Subpart FFF - Standards of performance for flexible vinyl and urethane coating and printing.

Subpart GGG - Standards of performance for equipment leaks of volatile organic compound (VOC) emissions in petroleum refineries.

Subpart HHH - Standards of performance for synthetic fiber production facilities.

Subpart III - Standards of performance for volatile organic compound (VOC) emissions from the synthetic organic chemical manufacturing industry (SOCMI) air oxidation unit processes.

Subpart JJJ - Standards of performance for petroleum drycleaners.

Subpart KKK - Standards of performance for equipment leaks of volatile organic compound (VOC) emissions from onshore natural gas processing plants.

Subpart LLL - Standards of performance for onshore natural gas processing; SO<sub>2</sub> emissions.

Subpart NNN - Standards of performance for volatile organic compound (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operations.

Subpart OOO - Standards of performance for nonmetallic mineral processing plants.

Subpart PPP - Standards of performance for wool fiberglass insulation manufacturing plants.



Subpart QQQ - Standards of performance for volatile organic compound (VOC) emissions from petroleum refinery wastewater systems.

Subpart RRR - Standards of performance for volatile organic compound (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) reactor processes.

Subpart SSS - Standards of performance for magnetic tape coating facilities.

Subpart TTT - Standards of performance for industrial surface coating: surface coating of plastic parts for business machines.

Subpart UUU - Standards of performance for calciners and dryers in mineral industries.

Subpart VVV - Standards of performance for polymetric coating of supporting substrates facilities.

Subpart WWW - Standards of performance for municipal solid waste landfills.

Subpart AAAA - Standards of performance for small municipal waste combustion units for which construction is commenced after August 30, 1999, or for which modification or reconstruction is commenced after June 6, 2001.

Subpart CCCC - Standards of performance for commercial and industrial solid waste incineration units for which construction is commenced after November 30, 1999, or for which modification or reconstruction is commenced on or after June 1, 2001.

Subpart DDDD - Emission guidelines and compliance times for commercial and industrial solid waste incinerator units that commenced construction on or before November 30, 1999.

Except as provided below, designated facilities to which this rule applies shall comply with 40 CFR 60.2575 through 60.2875, including tables 1 through 5.

In the rule, you means the owner or operator of a commercial or industrial solid waste incineration unit.

Table 1 of the rule is deleted and replaced with the following:

Table 1 to Subpart DDDD - Model Rule Increments of Progress and Compliance Schedules	
Comply with these increments of progress	By these dates
Increment 1 - Submit final control plan .....	One year after EPA approval of the state plan or December 1, 2004, whichever comes first.
Increment 2 - Final compliance .....	Three years after EPA approval of the state plan or December 1, 2005, whichever comes first.

Appendix A - Test methods.

Appendix B - Performance specifications.

Appendix C - Determination of emission rate changes.

Appendix D - Required emission inventory information.

Appendix E - [Reserved]

Appendix F - Quality assurance procedures.

Appendix I - Removable label and owner's manual.

**History:** Effective June 1, 1992; amended effective March 1, 1994; December 1, 1994; January 1, 1996; September 1, 1997; September 1, 1998; June 1, 2001; March 1, 2003; February 1, 2005.

**General Authority:** NDCC 23-25-03

**Law Implemented:** NDCC 23-25-03

**33-15-12-03. [Reserved]**

**33-15-12-04. Standards of performance.** Repealed effective June 1, 1992.